ANALYTICA CHIMICA ACTA

An International journal devoted to all branches of analytical chemistry

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrom. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Vol. 309 NO. 1–3	CONTENTS	JUNE 20, 199	15
Acknowledgements to Referees	•••••••••••••••••••••••••••••••••••••••		1
Electroanalytical Chemistry and Sensors			
Lipophilicity of tetraphenylborate derivative lifetime of corresponding ion-selective	ves as anionic sites in neutral carrier-based solvent polymeric memb e electrochemical and optical sensors		
A piezoelectric immunosensor for hepatit			7
	witzerland)	1	9
M.F. Choi and P. Hawkins (Bristol, UK	or hydrogen peroxide determination based on asparagus tissue and		7
	V. Alexander (Launceston, Australia) and P. Southwell-Keely (Sydney,	Australia). 3	5
N. Conrath, B. Gründig, St. Hüwel and	K. Cammann (Münster, Germany)	4	7
	and J.J. Spates (Albuquerque, NM, USA)	50	3
	beryllon III system by anion surfactant using oscillopolarography	60	3
Determination of molybdenum using pola HB. He, KS. Siow, H. Chi, ZQ. Gao	rographic catalytic current o and AK. Hsieh (Singapore)	73	3
	otion and electrocatalysis of NADH oxidation with a self-assembling		
	Madrid, Spain), J. Tirado (Ithaca, NY, USA) and H.D. Abruña (Madrid, S	Spain) 79	9
C. Sun, Q. Gao, J. Xi and H. Xu (Chan	igchun, China)		9
orange	trations of lead in sea water by adsorptive stripping voltammetry wi		
	lia)	95	5
J. Shi and K. Jiao (Qingdao, China) .	ography with UV absorbance detection for elucidating the electron	103	3
oxidation mechanism of α -tocopherol	in methanol		
	China)		1
	and L. Hernández-Hernández (Madrid, Spain)		7

(Continued overleaf)

Resolution of hidden minor peaks in multidetection chromatography by estimation of a single parameter in transformation matrix B.K. Alsberg (Oslo, Norway) Simultaneous and consecutive two-photon excited fluorescence detection in conventional-size liquid chromatogra Pt. J. Van der Nosse, R.J. Van der Wegen, C. Gooijer, U.A. Th. Brinkman and N.H. Veithorst (Amsterdam, Nethe Pyrolysis—gas chromatography—mass spectrometry characterization of wheat straw alkaline-cooking effluen biological treatment with the fungi <i>Phanerochaete chryosoponium</i> and <i>Ganoderma australe</i> A.M. Calvo, M.C. Terrón, M.L. Fidalgo (Madrid, Spain), J.M. Pelayo (Zaragoza, Spain), G.C. Galletti (Gallina, It A.E. González (Madrid, Spain) Liquid chromatographis separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing materia Y. Akama (Tokyo, Japan) and H. Kanno (Kanagawa, Japan). Determination of molybdenum in various materials by normal-phase liquid chromatography using <i>N</i> -benzoyl-N-pl droxylamine G. Bagur, M. Sanchez-Viñas and D. Gázquez (Granada, Spain). Study on the vaporisation of sulphur-containing amino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing coppi H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing coppi H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan) Pring and K.L. Dao (Hong Kong) Applicability of a novel carrbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisova and S. Skradsková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exp by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfe	Chromatography	
Simultaneous and consecutive two-photon excited fluorescence detection in conventional-size liquid chromatograp. R.J. Van de Wegen, C. Goojier, U.A. Th. Brinkman and N.H. Velthorst (Amsterdam, Nethe Pyrolysis—gas chromatography—mass spectrometry characterization of wheat straw alkaline-cooking effluen biological treatment with the fungi <i>Phanerochaete chrysosporium</i> and <i>Ganoderma australie</i> A.M. Calvo, M.C. Terrón, M.L. Fidalgo (Madrid, Spain). A.E. González (Madrid, Spain) Liquid chromatographis esparation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing materia Y. Akama (Tokyo, Japan) and H. Kanno (Kanagawa, Japan) Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-pt droxylamine G. Bagur, M. Sánchez-Viñas and D. Gázquez (Granada, Spain). Study on the vaporisation of sulphur-containing arnino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copp. H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan). Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Skrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exp by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemilluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescence of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemilum	Resolution of hidden minor peaks in multidetection chromatography by estimation of a single parameter in a 2-D	
Pyrolysis—gas chromatography—mass spectrometry characterization of wheat straw alkaline-cooking effluer biological treatment with the fungi Phanerochaete chryosoporium and Ganoderma australe A.M. Calvo, M.C. Terrón, M.L. Fidalgo (Madrid, Spain), J.M. Pelayo (Zaragoza, Spain), G.C. Galletti (Gallina, It A.E. González (Madrid, Spain) Liquid chromatographic separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing materia Y. Akama (Tokyo, Japan) and H. Kanno (Kanagawa, Japan). Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-pt droxylamine G. Bagur, M. Sánchez-Viñas and D. Gázquez (Granada, Spain). Study on the vaporisation of sulphur-containing arnino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copp. H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan). Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and Kl. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Skrabáková (Bratislava, Slovak Republic). Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exi by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK). Chemiluminescence Ruthenium(II) tris-(2,2*-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Baerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yama	B.K. Alsberg (Oslo, Norway)	123
A.E. González (Madrid, Spain) . Liquid chromatographic separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing materia Y. Akama (Tokyo, Japan) and H. Kanno (Kanagawa, Japan) . Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-pt droxylamine G. Bagur, M. Sánchez-Viñas and D. Gázquez (Granada, Spain) . Study on the vaporisation of sulphur-containing amino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) . Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copul. Ultravolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copul. Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) . Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Sárbakková (Bratsakava, Slovak Republic) . Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exply gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) . Chemiluminescence Ruthenium(II) tris-(2,2*-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6*-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using piposphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (K		
Liquid chromatographic separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing materia Y. Akama (Tokyo, Japan) and H. Kanno (Kanagawa, Japan). Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-ph droxylamine G. Bagur, M. Sánchez-Viñas and D. Gázquez (Granada, Spain). Study on the vaporisation of sulphur-containing amino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing coppe H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan). Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Beffast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2.2'bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Selective flow-injection deter		145
Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-pl droxylamine G. Bagur, M. Sánchez-Viñas and D. Gázquez (Granada, Spain). Study on the vaporisation of sulphru-containing amino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing coppe H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan). Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K. L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exi by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electro colored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzy	Liquid chromatographic separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing material	153
Study on the vaporisation of sulphur-containing amino acids in a hydrogen flame by use of molecular emissio analysis and liquid chromatography K. Nakajima, K. Ohta and T. Takada (Tokyo, Japan) Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing coppe H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan) Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exp by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(6',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using plyhosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan). Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-phenylhy-droxylamine	
Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copper. H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan). Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong). Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic). Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK). Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland). Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyi)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan). Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of see water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Ply		157
H. Kubo, A. Tsujimura, A. Toriba and T. Kinoshita (Tokyo, Japan) Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination H. Huang, R. Cai, Y. Du and Y. Zeng (H		163
Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples Y.S. Fung and K.L. Dao (Hong Kong) Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using piphosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) . Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Ze		169
Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons E. Matisová and S. Škrabáková (Bratislava, Slovak Republic). Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK). **Chemiluminescence** Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) **Flow Injection** Flow Injection** Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain). Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada). Oscillating flow injection stri	Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples	173
E. Matisová and S. Škrabáková (Bratislava, Slovak Republic) Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based exploy gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK). Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using ple phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan). Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain). Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China). A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halif		170
by gas chromatography with flame ionisation detection D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK) Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using ple phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) . Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) . Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) . A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) . Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) . Oscillating flow injection stripping potentiometry	E. Matisová and S. Škrabáková (Bratislava, Slovak Republic)	181
Chemiluminescence Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using ple phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) Oscillating flow injection stripping potentiometry		
Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, Ml, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, Ml, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) Oscillating flow injection stripping potentiometry	D.T. Burns (Belfast, UK) and R.J. Lewis (Carrickfergus, UK)	189
Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrocolored alkali halides S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pi phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, Ml, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, Ml, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) Oscillating flow injection stripping potentiometry	Chemiluminescence	
Finland) Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pl phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) . Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) . Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) . A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) . Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) . Oscillating flow injection stripping potentiometry	Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrolytically	
Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide J. Ishida, M. Takada, S. Hara (Fukuoka, Japan), K. Sasamoto, K. Kina and M. Yamaguchi (Kumamoto, Japan) Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using pl phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China)	S. Kulmala, A. Hakanen (Turku, Finland), P. Raerinne (Joensuu, Finland), A. Kulmala and K. Haapakka (Turku,	
Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using phosphate as a chemiluminescent label H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan) Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan)		197
H. Sasamoto (Kanagawa, Japan), M. Maeda, A. Tsuji (Tokyo, Japan) and H. Manita (Kanagawa, Japan)	Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using phenacyl	211
Flow Injection Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan)		221
Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data Y. Narusawa and Y. Miyamae (Tokyo, Japan)		
Y. Narusawa and Y. Miyamae (Tokyo, Japan) Selective flow-injection determination of methanol using immobilized enzyme reactors C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain) Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada). Oscillating flow injection stripping potentiometry		
C. García de María, T. Manzano, R. Duarte and A. Alonso (Salamanca, Spain)	Y. Narusawa and Y. Miyamae (Tokyo, Japan)	227
Determination of enzyme substrates with an extended range of linearity YS. Hsieh and S.R. Crouch (E. Lansing, MI, USA) Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada). Oscillating flow injection stripping potentiometry		
Shipboard flow injection determination of sea water pH with spectrophotometric detection R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada). Oscillating flow injection stripping potentiometry	Determination of enzyme substrates with an extended range of linearity	241
R.G.J. Bellerby, D.R. Turner, G.E. Millward and P.J. Worsfold (Plymouth, UK) Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada)		251
Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) Oscillating flow injection stripping potentiometry		259
coupled reaction H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China) A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada). Oscillating flow injection stripping potentiometry	Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme-linked	200
A stopped-flow/continuous-flow method for kinetic determinations YS. Hsieh and S.R. Crouch (East Lansing, MI, USA) Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada) Oscillating flow injection stripping potentiometry	coupled reaction	
YS. Hsieh and S.R. Crouch (East Lansing, MI, USA)	H. Huang, R. Cai, Y. Du and Y. Zeng (Hubei, China)	271
Evaluation of acoustic emission as a means for carbonate determination M.J. Little and P.D. Wentzell (Halifax, Canada)		277
M.J. Little and P.D. Wentzell (Halifax, Canada)		211
	M.J. Little and P.D. Wentzell (Halifax, Canada)	283
S.D. Kolev, C.W.K. Chow, D.E. Davey and D.E. Mulcahy (Ingle Farm, Australia)	Oscillating flow injection stripping potentiometry	
	S.D. Kolev, C.W.K. Chow, D.E. Davey and D.E. Mulcahy (Ingle Farm, Australia)	293

Immunobased elution assay for process control K. Beyer, M. Reinecke (Hannover, Germany), W. Noe (Biberach a.d. Riss, Germany) and T. Scheper (Münster, Germany)	301
	001
Mass Spectrometry	
Reactions of temazepam in acidic aqueous solution via oxygen-18-labeled product analysis by mass spectrometry S.K. Yang, T.J. Yang and QL. Pu (Bethesda, MD, USA)	307
Ion Mobility Spectrometry	
Membrane inlet ion mobility spectrometry for on-line measurement of ethanol in beer and in yeast fermentation T. Kotiaho, F.R. Lauritsen, H. Degn (Odense, Denmark) and H. Paakkanen (Kuopio, Finland)	317
X-Ray Fluorescence Spectrometry	
Element determination by total-reflection X-ray fluorescence spectrometry at the initial step of element speciation in biological matrices	
K. Günther (Jülich, Germany), A. Von Bohlen (Dortmund, Germany) and C. Strompen (Dortmund, Bonn, Germany) Determination of iron in nuclear grade zirconium oxide by x-ray fluorescence spectrometry using an internal intensity	327
reference G. Radha Krishna, H.R. Ravindra, B. Gopalan and S. Syamsunder (Hyderabad, India)	333
Fluorimetry/Phosphorimetry	
Fluorometric detection of heavy metals with N-methyl-N-9-(methylanthracene)-N'-benzoylthiourea	
E. Unterreitmaier and M. Schuster (Garching, Germany)	339
R.Q. Aucélio and A.D. Campiglia (Brasilia, Brazil)	345
M.A. De la Fuente and M. Juárez (Madrid, Spain)	355
Electrophoresis	
Determination of five major anthraquinoids in Chinese herbal preparations by micellar electrokinetic capillary electrophoresis	
SJ. Sheu and HR. Chen (Taipei, Taiwan)	361
Atomic Spectrometry	
Comparison of plumbane and tetraethyllead for the determination of lead by inductively coupled plasma atomic emission spectrometry	
M.C. Valdés-Hevia y Temprano, M.R. Fernández de la Campa and A. Sanz-Medel (Oviedo, Spain)	369
Inductively coupled plasma atomic emission spectrometric determination of beryllium in aluminium-based alloys and rock samples by introducing beryllium into the plasma as ethylberyllium species	
S. Tao, Y. Okamoto and T. Kumamaru (Higashi-Hiroshima, Japan)	379
L. Campanella, D. D'Orazio, B.M. Petronio and E. Pietrantonio (Rome, Italy)	387
Flow injection sorbent extraction with dialkyldithiophosphates as chelating agent for the determination of zinc by flame atomic absorption spectrometry	
R. Ma, W. Van Mol and F. Adams (Wilrijk, Belgium)	395
Book Reviews	405
Author Index	411